Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	73	database hidden ADJ column	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 21:32
L2	5	l1 and (hidden).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 21:29
L3	1231	(oracle).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 21:33
L4	57	I1 not I3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 21:33
L5	20	l4 ("707/1-206").ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 21:36
L6		I5 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 21:36
S1	2	10/648577	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 18:10
S2	703	opaque near type	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 18:10
S3	296	opaque adj type	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 18:12

S4	0	"creating a data structure that has one or more elements that correspond to one or more	US-PGPUB; USPAT; USOCR;	AND	ON	2006/04/08 18:13
		attributes of said type"	EPO; JPO; IBM_TDB			
S5	0	creating a data structure that has one or more elements that correspond to one or more attributes of said type	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	SAME	ON	2006/04/08 18:13
S6	3	S3 and serialize	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 18:50
S7	4	S3 and loader	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 18:17
S8	187	ejb loader	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 18:21
S9	9	javabean same loader	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 18:18
S10	17	ejb same loader	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 18:22
S11	172	(S8 OR S9) database	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 18:23
S12	14	direct adj path adj (load or loading)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND.	ON	2006/04/08 18:25
S13	2	S3 and (ejb or javabean) database	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 18:26

			T			
S14	1	2003/0140308	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 19:53
S15	1305	("707/103R").CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 19:53
S16	183	("707/103Y").CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 19:56
S17	. 73	S15 and (serialize OR serialization)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 19:56
S18 .	20	S17 and (ejb or javabean)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/08 19:56
S19	73	database hidden ADJ column	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:14
S20	12	S19 and second ADJ table	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:19
S21	0	S20 and import	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:14
S22	5	S20 and load	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:15
S23	2	"10/648600"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:29

			·			
S24	5335	xml sql database	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:29
S25	12	S24 hidden ADJ column	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:34
S26	1	("6366934").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 19:39
S27	0	"2003/140308"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:40
S28	0	chandrasekar sivasankaren	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:40
S29	0	sivasankaren	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:53
S30	65	S24 hidden SAME column	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:54
S31	0	S24 hidden withcolumn	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:54
S32	39	S24 hidden with column	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/04/10 19:54